L Number	Hits	Search Text	DB	Time stamp
1	2	6324581.pn. AND mover\$1	USPAT;	2002/11/13 13:29
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	0	6324581.pn. AND multicast\$3	USPAT;	2002/11/13 13:28
-	_		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	1	(6324581.pn. AND mover\$1) AND updat\$3	USPAT;	2002/11/13 13:28
	•	(SSZ 100 II.PIII. / III.Z III. / III.Z III. / III.Z II	EPO; JPO;	
			DERWENT:	
			IBM TDB	
4	1	6324581.pn. AND (mover\$1 NEAR8 updat\$3)	USPAT;	2002/11/13 13:31
	•	(1101)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
5	2	6324581.pn. AND (mover\$1 NEAR8 metadata)	USPAT;	2002/11/13 13:34
ا	2	1 0024301.pn. AND (movery) NEARO metadata)	EPO; JPO;	2002/11/10 10:04
			DERWENT;	
			IBM_TDB	-
ا	1	6324591 nn AND (may/or\$1 NEAD10 motodata) AND		2002/11/13 15:20
6	1	6324581.pn. AND (mover\$1 NEAR10 metadata) AND	USPAT;	2002/11/13 13.20
		(mover\$1 NEAR10 (updat\$3 OR chang\$3))	EPO; JPO;	
			DERWENT;	
_	4.4	( i.e. and NEADA Stade) AND ( AD (	IBM_TDB	0000/44/40 40:50
7	44	(virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:56
		cast\$3))	EPO; JPO;	
			DERWENT;	
_	_		IBM_TDB	
8	0	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:53
		cast\$3))) AND (parralel NEAR4 process\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
9	16	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:54
		cast\$3))) AND (parallel NEAR4 process\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	652	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR4 protocol\$1)	USPAT;	2002/11/13 13:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
11	514	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1)	USPAT;	2002/11/13 13:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
12	37	(((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1))	USPAT;	2002/11/13 13:58
		AND (parallel NEAR4 process\$4)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
13	1	6324581.pn. AND ((mover\$1 NEAR10 metadata) NEAR10	USPAT;	2002/11/13 14:08
		exchang\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	1	6324581.pn. AND cach\$3	USPAT;	2002/11/13 15:23
			EPO; JPO;	
			DERWENT;	
<u>                                     </u>		<u> </u>	IBM_TDB	
15	1	6081883.pn. AND cach\$3	USPAT;	2002/11/13 15:29
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
16	2	5948062.pn. AND load\$3	USPAT;	2002/11/13 15:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

19	1	6453323.pn.	USPAT;	2002/11/13 16:16
	İ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	:
20	8	("5469560"   "5692155"   "5758190"   "5768620"   "5813042"	USPAT	2002/11/13 15:56
		"5968182"   "6088815"   "6304980").PN.		
21	l o	6304980.pn. AND geographical\$2	USPAT;	2002/11/13 16:17
- '		, 000,000.pm / m 2 g00g/apm=a/4_	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
22	2	6442548.pn.	USPAT;	2002/11/13 16:38
22	-	0442546.pm. 	EPO; JPO;	2002/11/10 10:00
	1		DERWENT;	
			1	
		5007400	IBM_TDB	2002/44/42 46:20
23	2	5937406.pn.	USPAT;	2002/11/13 16:38
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	30	(database\$1 NEAR1 cache\$1) AND (international AND	USPAT;	2002/11/13 13:25
		business AND machine\$1).as.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	81	(database\$1 NEAR1 cache\$1) AND 707/\$.ccls.	USPAT;	2002/11/11 17:17
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	60	((database\$1 NEAR1 cache\$1) AND 707/\$.ccls.) NOT	USPAT;	2002/11/11 17:17
		((database\$1 NEAR1 cache\$1) AND (international AND	EPO; JPO;	
		business AND machine\$1).as.)	DERWENT;	
			IBM_TDB	
-	206	database\$1 NEAR1 cache\$1	USPAT;	2002/11/11 17:34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	(joon AND hwang).xa.	USPAT;	2002/11/12 18:50
		U	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	5	("5355497"   "5367671"   "5799318"   "5907837"	USPAT	2002/11/11 17:28
		"5978791").PN.	33.7	
_	86	(database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:35
		cache\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	43	((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:54
		cache\$1)) AND network\$3 AND remote\$2	EPO; JPO;	
		Table 1777 and the training of the following	DERWENT;	
			IBM_TDB	
_	22375	cache.ti,ab.	USPAT;	2002/11/11 17:54
	220,0	- vacio, upar	EPO; JPO;	
	}		DERWENT;	
			IBM TDB	
_	971	cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:57
1	3/1	machine\$1).as.	EPO; JPO;	2002/11/11 17:07
		maommow rj.as. 	DERWENT;	
			IBM_TDB	
1_	77	(cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:55
-	''	machine\$1).as.) AND 707/\$.ccls.	EPO; JPO;	2002/11/11 17:00
		maomineф i j.as. j	DERWENT;	
			IBM_TDB	
	151	cache ti ah AND (microsoff\$1) as	USPAT;	2002/11/11 17:57
1 -	151	cache.ti,ab. AND (microsoft\$1).as.	EPO; JPO;	2002/11/11 1/.5/
			DERWENT;	
			1	
L	<u>.                                    </u>		IBM_TDB	L

-	2	6356863.pn.	USPAT;	2002/11/12 16:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	256	virtual NEAR2 file\$1 NEAR system\$1	USPAT;	2002/11/12 17:15
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	305	virtual NEAR2 file\$1 NEAR2 system\$1	USPAT;	2002/11/12 16:54
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	118	(virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1	USPAT;	2002/11/12 16:54
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	80	((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 16:54
		AND distributed!	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<sub>-</sub>	76	(((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 16:57
		AND distributed!) AND network\$1	EPO; JPO;	
		7 at Date and the state of the	DERWENT;	
1 1			IBM TDB	
_	19	((((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 17:08
		AND distributed!) AND network\$1) AND (load\$3 NEAR2	EPO; JPO;	
		balanc\$3)	DERWENT;	
			IBM TDB	
i l	73	virtual NEAR2 file\$1 NEAR system\$1	US-PGPUB	2002/11/12 17:08
[	98	virtual NEAR2 file\$1 NEAR2 system\$1	US-PGPUB	2002/11/12 17:08
[	360	(virtual NEAR2 file\$1) NEAR2 system\$1	USPAT;	2002/11/12 17:06
-	300	(VIII. VIII.	EPO; JPO;	2002/11/12 10.20
			DERWENT;	
			IBM_TDB	
1	256	((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5	USPAT;	2002/11/12 17:16
1 - I	256	((VIII. NEAR2 III. 1) NEAR4 Systems () AND manages	EPO; JPO;	2002/11/12 17.10
1			DERWENT;	
			IBM_TDB	
	20	///virtual NEAD2 file@1\ NEAD4 evetem@1\ AND manage@5\	USPAT;	2002/11/12 18:28
-	20	(((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5) AND (load\$3 NEAR2 balanc\$3)	EPO; JPO;	2002/11/12 16.26
		AND (1030\$3 NEARZ Dalatic\$3)		
			DERWENT;	
<u> </u>	<u> </u>	6001002 urof	IBM_TDB	2002/44/42 49:22
<del>-</del>	3	6081883.uref.	USPAT;	2002/11/12 18:22
			EPO; JPO;	
			DERWENT;	
	40	///E462424/11/16266462/11/16627606/11/16664900/11/16900206/11	IBM_TDB	2002/14/42 49:04
-	13	("5163131"   "5355453"   "5537585"   "5561809"   "5802366"	USPAT	2002/11/12 18:24
		"5848293"   "5864554"   "5915094"   "5933603"   "5995708"		
	400	"6081883"   "6119150"   "6275953").PN.	LICDAT	0000/44/40 40:07
j -	136	((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.	USPAT;	2002/11/12 18:27
			EPO; JPO;	
			DERWENT;	
	_ ا		IBM_TDB	00004445
<del>-</del>	0	(((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.) AND	USPAT;	2002/11/12 18:28
! !		(load\$3 NEAR2 balanc\$3)	EPO; JPO;	
			DERWENT;	
	<u>.</u>		IBM_TDB	0000////00/
-	6164	distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	USPAT;	2002/11/12 18:51
		database\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<b>-</b>	419	(distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	USPAT;	2002/11/12 18:52
		database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2	EPO; JPO;	
		system\$1) OR database\$1))	DERWENT;	
			IBM_TDB	I

USPAT:					
1737   (virtual NEAR3 file\$1)   AND (virtual NEAR3 file\$1)   DERWENT, IBM, TDB USPAT; EPO, JPO; DERWENT, IBM, TDB USPAT	-	5			2002/11/12 18:54
IBM_TOB					
1737   (virtual NEAR3 file\$1)   AND manage\$5   USPĀT;   EPO, JPO; DERWENT;   IBM TOB USPĀT;   EPO, JPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO;			system\$1) OR database\$1))) AND (virtual NEAR3 file\$1)	1	
1009   ((virtual NEAR3 file\$1) ) AND manage\$5   AND (distribut\$4)   SPAT; EPO, JPO, JPO, JPO, JPO, JPO, JPO, JPO, J		1727	(virtual NEAD2 file\$1)		2002/11/12 19:54
1009	-	1/3/	(VITUAL NEARS THEST)		2002/11/12 16.54
1009   ((virtual NEAR3 file\$1) ) AND manage\$5   SAND (distribut\$4)   SAPAT. EPO, JPO, DERWENT; IBM, TDB (((virtual NEAR3 file\$1) ) AND manage\$5) AND (distribut\$4)   SAPAT. EPO, JPO, DERWENT; IBM, TDB (JO2/11/12 19:37 EPO, JPO, DERWENT; IBM, TDB (JO2/11/12 19:38 EPO, JPO, JPO, DERWENT; IBM, TDB (JO2/11/12 19:38 EPO, JPO, JPO, DERWENT; IBM, TDB (JO2/11/12 19:38 EPO, JPO, JPO, JPO, JPO, JPO, JPO, JPO, J					
1009					
EPC, JPC, DERWENT; IBM, TDB   USPAT; EPC, JPC, DPC, DERWENT; IBM, TDB   USPAT; EPC, JPC, DPC, DPC, DPC, USPAT; EPC, JPC, DPC, DPC, DPC, DPC, DPC, DPC, DPC, D	_	1000	//virtual NEAR3 file\$1\ \ AND manage\$5		2002/11/12 18:55
- 539  (((virtual NEAR3 file\$1) ) AND manage\$5) AND (distribut\$4)  - 52  ((((virtual NEAR3 file\$1) ) AND manage\$5) AND (distribut\$4)  - 52  ((((virtual NEAR3 file\$1) ) AND manage\$5) AND (DERWENT; IBM, TDB USPAT; EPC, JPO, DERWENT; ISM, TDB USPAT; EPC, JPO, DERW	-	1003	((Virtual 14EARO Me#1) ) AIND Manage#0		2002/11/12 10:00
S39   (((virtual NEAR3 file\$1) ) AND manage\$5) AND (distribut\$4)   USPAT; EPC, JPC, DERWENT; IBM, TDB   USPAT; EPC, JPC, DC, DERWENT; IBM, TDB   USPAT; EPC, JPC, DC, DCRWENT; IBM, TDB   USPAT; EPC, JPC, JPC, DERWENT; IBM, TDB   USPAT; EPC, JPC, DCRWENT; IBM, TDB   USP					
S39					
Section   Sect	_	539	(((virtual NEAR3 file\$1) ) AND manage\$5) AND (distribut\$4)		2002/11/12 18:55
- 52 ((((virtual NEAR3 file\$1) ) AND manage\$5) AND (distribut\$4)) AND (load\$3 NEAR4 balanc\$3)  - 14424 load\$3 NEAR2 balanc\$3 - 5252 (load\$3 NEAR2 balanc\$3) AND distribut\$4 - 5252 (load\$3 NEAR2 balanc\$3) AND distribut\$4 - 476 ((load\$3 NEAR2 balanc\$3) AND distribut\$4 - 476 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3) - 118 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) - 118 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) - 118 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) - 118 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) - 118 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) - 118 ((load\$3 NEAR2 balanc\$3) AND distribut\$4)).ti,ab 118 ((load\$3 NEAR2 balanc\$3) AND distribut\$4)).ti,ab 118 ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab 118 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab 118 ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab 118 ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab 118 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR DERWENT; IBM_TDB USPAT; EPO, JPO, DERWENT; IBM_TDB USPAT; E			(((((((((((((((((((((((((((((((((((((((		
14424					
14424   Ioad\$3 NEAR2 balanc\$3   SEAR2 balanc\$3   SEAR3		}			•
(distribut\$4)) AND (load\$3 NEAR4 balanc\$3)	-	52	((((virtual NEAR3 file\$1) ) AND manage\$5) AND		2002/11/12 20:04
14424   load\$3 NEAR2 balanc\$3   IBM_TDB   USPAT; EPO; JPO; DERWENT; IBM_TDB   USPAT; IBM_T				EPO; JPO;	
- 14424 load\$3 NEAR2 balanc\$3 - 5252 (load\$3 NEAR2 balanc\$3) AND distribut\$4 - 5252 (load\$3 NEAR2 balanc\$3) AND distribut\$4   USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J				DERWENT;	
- 5252 (load\$3 NEAR2 balanc\$3) AND distribut\$4   SPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB				IBM_TDB	
- 5252 (load\$3 NEAR2 balanc\$3) AND distribut\$4 USPAT; EPC; JPC; DERWENT; IBM_TDB USPAT; EPC; JPC; DERWENT; I	-	14424	load\$3 NEAR2 balanc\$3		2002/11/12 19:37
- 5252 (load\$3 NEAR2 balanc\$3) AND distribut\$4   IBM_TDB USPAT; EPO, JPO; DERWENT; IBM_TDB USPAT; EPO, JPO; DERWENT; IBM_TDB USPAT; EPO; JPO;					
-   5252   (load\$3 NEAR2 balanc\$3) AND distribut\$4   USPĀT; EPO; JPO; DERWENT; IBM_TDB   2002/11/12 19:38   2002/11/12 20:05				1	
- 476 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)  - 118 (((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) - 118 (((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR database\$1)) - 23958 (load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti, ab 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti, ab 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti, ab 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti, ab 5 ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti, ab.) AND (DERWENT; IBM, TDB USPAT; EPO; JPO; DERWENT; IBM, TDB U				_	
- 476 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)  - 118 (((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR database\$1))  - 23958 (load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab.	-	5252	(load\$3 NEAR2 balanc\$3) AND distribut\$4		2002/11/12 19:37
- 476 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)  - 118 (((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4) NEAR4 (file\$1 OR database\$1))  - 23958 ((load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab.  - 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.  - 17791 ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.  - 5 (((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND (virtual NEAR2 file\$1)  - 45 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4)) AND mover\$1  - 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4)) AND mover\$1  - 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4)) AND mover\$1  - 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4)) AND bypass\$3					
- 476 ((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)  - 118 (((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR database\$1))  - 23958 (load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab.  - 23958 (load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab.  - 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.  - 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.  - 5 ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND (load\$3 NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4))  - 378 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4))  - 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4))) AND mover\$1  - 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4))) AND mover\$1  - 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribut\$4))) AND bypass\$3	]			1	
NEAR2 process\$3    EPO; JPO; DERWENT; IBM_TDB   USPAT; EPO; JPO;		470	(//a a dC2 N/E A DO h a law a C2) A N/D diadaile (dC4) A N/D (a a a a l/a)	_	0000/44/40 40:00
- 118 (((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR database\$1))  - 23958 (load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab. USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	-	4/6			2002/11/12 19:38
- 118 ((((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR database\$1))  - 23958 ((load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab. USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	1		NEARZ processas)		
- 118					
NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR database\$1)	1_	118	(//load\$3 NEAR2 halanc\$3) AND distribut\$4) AND (narallel		2002/11/12 10:38
DERWENT;   IBM_TDB   USPAT;   EPO; JPO; DERWENT;   EPO; JPO; DERWENT;   IBM_TDB   USPAT;   EPO; JPO; JPO;   IMM_TDB   USPAT;   IMM_TDB   USPAT;   IMM_TDB   USPAT;	-	'''			2002/11/12 19:50
- 23958 (load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab.   IBM_TDB   USPAT;   EPO; JPO; DERWENT;   EPO; JPO; DERWEN			1 '' '' '		
- 23958 (load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab. USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; D			44.424334177		
- 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.	_	23958	(load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti.ab.		2002/11/12 20:05
- 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.   DERWENT; IBM_TDB   USPAT; EPO; JPO; JPO; DERWENT; IBM_TDB   USPAT; EPO; JPO; DER					
- 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab. USPĀT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; D					
- 17791 (load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab. USPĀT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; D					
- 5 ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND (virtual NEAR2 file\$1)  - 45 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))  - 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) NEAR10 (client\$1 OR user\$1))  - 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))  - 16 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1  - 17 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1  - 18 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3	-	17791	(load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.		2002/11/12 20:05
- 5 ((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND (virtual NEAR2 file\$1)  - 45 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))  - 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) NEAR10 (client\$1 OR user\$1))  - 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1  - 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3  - 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3				EPO; JPO;	
-					
(virtual NEAR2 file\$1)  45 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))  - 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) NEAR10 (client\$1 OR user\$1))  - 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1  - 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3  - 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3					
- 45 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))  - 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DE	-	5		· ·	2002/11/12 20:08
- 45 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))  - 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1)			(virtual NEAR2 file\$1)		
- 45 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))  - 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) USPAT; IBM_TDB USPAT; NEAR10 (client\$1 OR user\$1))  - 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1  - 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3  - 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3					
- 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) USPAT; IBM_TDB USPAT;		AF	(virtual NEARS file\$1) AND (locates NEARA (balances OR		2002/44/40 20:40
- 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) USPAT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB US	-	45			2002/11/12 20:18
- 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) USPAT; EPO; JPO; DERWENT; IBM_TDB ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1 USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;			_ นเรนามน์จั <i>4))</i> 		
- 378 (virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) USPAT; EPO; JPO; DERWENT; IBM_TDB ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3					
NEAR10 (client\$1 OR user\$1))  - 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1  - 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3    10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3    10 (virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3	_	378	(virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1)		2002/11/12 20:19
- 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1 USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; EPO; DERWE		3,3			2002/11/12/20.10
- 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1	1		112, 1110 (0110114) - 011 400141//	, ,	
- 15 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1					
distribu\$4))) AND mover\$1  EPO; JPO; DERWENT; IBM_TDB ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3  USPAT; EPO; JPO; DERWENT;	-	15	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR		2002/11/12 20:24
- 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3 DERWENT; EPO; JPO; DERWENT;					,
- 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3   IBM_TDB USPAT; EPO; JPO; DERWENT;			, , , , , , , , , , , , , , , , , , ,		
- 10 ((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3 USPAT; EPO; JPO; DERWENT;		.			
distribu\$4))) AND bypass\$3 EPO; JPO; DERWENT;	-	10	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:24
				EPO; JPO;	
IBM_TDB					
		l		IBM_TDB	

-	1	(((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:24
		distribu\$4))) AND mover\$1) AND bypass\$3	EPO; JPO;	
			DERWENT;	
			IBM TDB	